Contents

NUMBER 1: JANUARY 1989

Review Article

1 G.B.COLVER and R.P.R.DAWBER Cryosurgery—the principles and simple practice

Original Articles

- 7 A.Y.FINLAY and J.S.BRYDEN Integrated in-patient and outpatient dermatology management
- 12 N.PIMPINELLI, M.SANTUCCI, A.BOSI, S.MORETTI, C.VALLEC-CHI, A.MESSORI and B.GIANNOTTI Primary cutaneous follicular centre-cell lymphoma—a lymphoproliferative disease with favourable prognosis
- 20 KWANG HYUN CHO, KI SHIK SHIN, SOOK JA SOHN, SUNG JAE CHOI and YOO SHIN LEE Behçet's disease with Sweet's syndrome-like presentation—a report of six cases
- 25 R.A.LOGAN, T.J.O'BRIEN and M.W.GREAVES The effect of psoralen photochemotherapy (PUVA) on symptomatic dermographism
- 29 M.M.OGAWA, T.HASHIMOTO, T.NISHIKAWA and R.M.CASTRO IgG subclasses of intercellular antibodies in Brazilian pemphigus foliaceus—the relationship to complement fixing capacity
- 32 J.S.C.ENGLISH, C.B.BUNKER, K.RUTHVEN, P.M.DOWD and M.W.GREAVES A double-blind comparison of the efficacy of betamethasone dipropionate cream twice daily versus once daily in the treatment of steroid responsive dermatoses
- 35 T.BIEBER, B.DANNENBERG, J.RING and O. BRAUN-FALCO Keratinocytes in lesional skin of atopic eczema bear HLA-DR, CDla and IgE molecules
- 40 D.H.RUSHTON, W.P.UNGER, P.COTTERILL, P. KINGSLEY and K.C.JAMES Quantitative assessment of 2% topical minoxidil in the treatment of male pattern baldness
- 47 J.D.R.PEEREBOOM-WYNIA, H.K.KOERTEN, TH.VAN JOOST and E.STOLZ Scanning electron microscopy comparing exclamation mark hairs in alopecia areata with normal hair fibres, mechanically broken by traction
- 51 I.T.DE MESSIAS, J.SANTAMARIA, R.RAGIOTTO, E.M.DOI and A.KAJDACSY-BALLA Complement activation in Brazilian pemphigus foliaceus

Case Reports

- 56 R. WEISS Herpes zoster following spinal surgery
- 58 G.H.FINDLAY and M.DUVENAGE Acquired symmetrical lipomatosis of the hands—a distal form of the Madelung–Launois–Bensaude syndrome
- 60 S.DEKIO, N.TSUKAZAKI and J.JIDOI Idiopathic calcinosis of the scrotum presenting as a solitary pedunculated tumour

- 62 N.H.COX, J.P.MCLURE and R.A.HARDIE Naevoid hypertrichosis—report of a patient with multiple lesions
- 65 A.W.MACFARLANE A case of actinic lichen planus
- 69 P.G.NORRIS and J.L.M.HAWK Actinic folliculitis—response to isotretinoin
- 72 F.RONGIOLETTI, R.HAZINI, G.GIANOTTI and A.REBORA Fibrofolliculomas, tricodiscomas and acrochordons (Birt-Hogg-Dubé) associated with intestinal polyposis
- 75 M.KEEFE, R.A.WAKEEL and R.E.I.KERR Erysipelas complicating chronic discoid lupus erythematosus of the face—a case report and review of erysipelas
- 79 F.G.ALOI, A.MOLINERO and M.PIPPIONE Parakeratotic horns in a patient with Crohn's disease
- 82 J.TADA, S.FUKUSHIRO, Y.FUJIWARA, Y.AKAGI, H.KODAMA and N.NOHARA Two sisters with impetigo herpetiformis
- 85 Abstracts from the Symposium on the Pathophysiology of Hair Growth Organized by the Institute of Dermatology at the Royal Society of Medicine, 29 October 1987
- 92 Correspondence

NUMBER 2:MARCH 1989

- 95 First Symposium on Terbinafine
- 96 Contents
- 97 Introduction
- 98 N.S.RYDER The mechanism of action of terbinafine
- 101 Y.M.CLAYTON In vitro activity of terbinafine
- 104 H.MIETH and G.PETRANYI Preclinical evaluation of terbinafine in vivo
- 108 H.YAMAGUCHI and K.UCHIDA Once daily administration of terbinafine to guinea-pigs with experimental dermatophytosis
- 110 J.C. JENSEN Clinical pharmacokinetics of terbinafine (Lamisil)
- 114 S.KAGAWA Clinical efficacy of terbinafine in 629 Japanese patients with dermatomycosis
- 116 R.SAVIN Successful treatment of chronic tinea pedis (moccasin type) with terbinafine (Lamisil)
- 120 N.ZAIAS and L.SERRANO The successful treatment of finger Trichophyton rubrum onychomycosis with oral terbinafine
- 124 V.VILLARS and T.C.JONES Clinical efficacy and tolerability of terbinafine (Lamisil)—a new topical and systemic fungicidal drug for treatment of dermatomycoses

Original Articles

128 P.C.NORRIS, J.A.NEWTON, R.S.CAMPLEJOHN and J.L.M.HAWK A flow cytometric study of actinic reticuloid

- 132 E.W.B. JEFFES III and A.R. AHMED Adjuvant therapy of bullous pemphigoid with dapsone
- 137 U.BROBY-JOHANSEN and J.K.KRISTENSEN Antipsoriatic effect of local corticosteroids—O₂-consumption and blood flow measurements compared to clinical parameters
- 141 A.DEL PALACIO-HERNANZ, S.LÓPEZ-GÓMEZ, P.MORENO-PALANCAR and F.GONZÁLEZ-LASTRA A clinical double-blind trial comparing amorolfine cream 0.5% (RO-14-4767) with bifonazole cream 1% in the treatment of dermatomycoses
- 145 A.ISHIDA-YAMAMOTO and H.IIZUKA Infundibular keratosis—a prototype of benign infundibular tumours
- 150 D.J.GAWKRODGER, P.C.STAVROPOULOS, K.M. MCLAREN and P.K.BUXTON Bullous lichen planus and lichen planus pemphigoides—clinico-pathological comparisons
- 154 B.MONK Induction of hair growth in alopecia totalis with diphencyprone sensitization
- 158 C.BUCKLEY and I.SARKANY Urethral fistula and sinus formation in hidradenitis suppurativa
- 161 M.J.D.GOODFIELD and N.R.ROWELL Treatment of peripheral gangrene due to systemic sclerosis with intravenous pentoxifylline

Case Reports

- 163 A.KENT and L.M.DRUMMOND Acne excoriée—a case report of treatment using habit reversal
- 165 G.M.MURPHY and W.A.D.GRIFFITHS Subcorneal pustular dermatosis
- 168 A.MILLIGAN and R.A.C.GRAHAM-BROWN Erythema ab igne affecting the palms
- 170 N.H.COX and P.INCE Transient post-inflammatory digitate
- 173 J.ASHWORTH and S.M.BREATHNACH Sarcoidosis presenting with multiple delled atrophic facial lesions
- 175 Correspondence
- 176 News and Notices

NUMBER 3:MAY 1989

Review Article

177 R.CERIO and E.WILSON-JONES New cell markers for routine diagnostic dermatopathology

Original Articles

- 181 J.S.C.ENGLISH, N.P.SMITH, J.SPAULL, E.WILSON-JONES and R.K. WINKELMANN Large cell lymphocytoma—a clinicopathological study
- 186 C.A.HOLDEN, C.-T. YUEN and I.H. COULSON The effect of in vitro exposure to histamine on mononuclear leucocyte phosphodiesterase activity in atopic dermatitis
- 191 J. L. REES and B. PAL Stimulated eccrine gland function in primary Siögren's syndrome
- 194 R.J.MOTLEY and A.Y.FINLAY How much disability is caused by acne?
- 199 M.C.Y.HENG, S.C.ALLEN, S.Y.HENG, R.MATSUYAMA and J. FAZIER An electron microscopic study of the epidermal infiltrate in recurrent herpes simplex
- 203 C.M.PHILPOT and D.SHUTTLEWORTH Dermatophyte onychomycosis in children

- 206 L.EK, B.LINDELÖF and S.LIDÉN The duration of Grenz rayinduced suppression of allergic contact dermatitis and its correlation with the density of Langerhans cells in human epidermis
- 210 L.J.PETERSEN and J.K.KRISTENSEN Time-course of corticosteroid-induced blood flow reduction in normal cutaneous tissue quantitative measurements during 72 h of treatment
- 214 T.AGNER and J.SERUP Quantification of the DMSO-response—a test for assessment of sensitive skin
- 218 N.NAJEM and D.HULL Langerhans cells in delayed skin reactions to inhalant allergens in atopic dermatitis—an electron microscopic study
- 223 L.JUHLIN, J.P.LACOUR, J.C.LARROUY, P.E.BAZE and J.P. ORTONNE Episodic erythema gyratum repens with ichthyosis and palmoplantar hyperkeratosis without signs of internal malignancy
- 227 H.F.JORDAAN and M.SANDLER Zinc-induced granuloma—a unique complication of insulin therapy
- 230 M.DAVID, M.SANDBANK and N.J.LOWE Erythema multiformelike eruptions associated with etretinate therapy

Case Reports

- 223 C.B.ARCHER, M.F.SPITTLE and N.P.SMITH Kaposi's sarcoma in a homosexual—10 years on
- 237 C.B.BUNKER, N.P.SMITH, R.C.G.RUSSELL and P.M.DOWD Cock's peculiar tumour
- 240 M.CASADO, F.JIMENEZ-ACOSTA, J.BORBUJO, W.MARTINEZ, M.AMALGRO and J.SOTO-MELO Keratoderma palmoplantaris striata
- 243 R.J.MOTLEY, J.A.WHITTAKER and P.J.A.HOLT Resolution of atopic dermatitis in a patient treated with cyclosporin
- 245 A.W.MACFARLANE and J.L.VERBOV Trauma-induced bullous pemphigoid
- 250 C.E.H.GRATTAN, B.J.LIDDLE and H.E.WILLSHAW Atrophic alopecia in the Hallermann-Strieff syndrome
- 253 S.C.MAYOU, J.J.BENN, P.H.SONKSEN and M.M.BLACK Paraneoplastic rhinophyma and the Leser-Trélat sign
- 256 Book Reviews
- 259 Correspondence
- 262 News and Notices
- 262 Obituary

NUMBER 4: JULY 1989

Prosser White Oration 1988

265 D.BURROWS Mischievous metals—chromate, cobalt, nickel and mercury

Review Article

273 P.R.COHEN and M.E.GROSSMAN Clinical features of human immunodeficiency virus-associated disseminated herpes zoster virus infection—a review of the literature

Original Articles

- 277 J.SERUP, A.WINTHER and C.BLICHMANN A simple method for the study of scale pattern and effects of a moisturizer—qualitative and quantitative evaluation by D-Squame® tape compared with parameters of epidermal hydration
- 283 V.A. VENNING, C.J. TAYLOR, A.TING and F. WOJNAROWSKA

- HLA type in bullous pemphigoid, cicatricial pemphigoid and linear IgA disease
- 286 U.BROBY-JOHANSEN and J.K.KRISTENSEN Antipsoriatic effect of semi-occlusive treatment—O₂-consumption, blood flow and temperature measurements compared to clinical parameters
- 289 C. IRVINE and P. HOLT Hand venous hypertension complicating arterio-venous fistula construction for haemodialysis
- 291 P.V.HARRISON, D.H.ORRELL, R.JAMES, M.PEAT and R.N. STONES Short-term methotrexate administration by low-dose infusion—does it influence clearance of psoriasis?
- 295 R.L.GALIMBERTI, V.FLORES, M.C.GONZALEZ RAMOS and L.I. VILLALBA Cutaneous ulcers due to Candida albicans in an immunocompromised patient—response to therapy with itraconazole
- 298 S.I.MUZULU, S.WALTON and K.KECZKES Colchicine therapy in Behçet's syndrome—a report of five cases
- 300 R.E.A.WILLIAMS, R.LEVER and M.SEYWRIGHT Multiple clear cell acanthomas—treatment by cryotherapy
- 302 R.SHARMA, S.C.SHARMA, B.D.RADOTRA and S.KAUR Reticulate acropigmentation of Kitamura
- 304 A.MACPHERSON, J.BERTH-JONES and R.A.C.GRAHAM-BROWN Carcinoma-associated dermatomyositis responding to plasmapheresis
- 306 J.M.FARRANT, M.JUDGE and R.P.H.THOMPSON Thrombotic cutaneous nodules and hepatic vein thrombosis in the anticardiolipin syndrome
- 309 M.E.MURDOCH and I.M.LEIGH Sporotrichoid spread of cutaneous Mycobacterium chelonei infection

Case Reports

- 313 J.BERTH-JONES and P.E.HUTCHINSON A family with palmoplantar epidermolytic hyperkeratosis
- 317 N.J.REYNOLDS, J.CROSSLEY, I.FERGUSON and R.D.G.PEACHEY Darkening of white hair in Parkinson's disease
- 319 C.B.ARCHER, P.M.ELIAS, N.J.LOWE and W.A.D.GRIFFITHS Extensive spinal hyperostosis in a patient receiving isotretinoin progression after 4 years of etretinate therapy
- 322 G.M.MURPHY and E.CRONIN Lichen planus pemphigoides
- 325 R.SEGAL, E.HODAK and M.SANDBANK Pityriasis rotunda in a Caucasian woman from the Mediterranean area
- 328 J.P.A.LODGE, A.M.HUNTER and N.R.SAUNDERS Yellow nail syndrome associated with empyema
- 330 G.M.MURPHY and W.A.D.GRIFFITHS Aphthous ulcers responding to etretinate—a case report
- 332 Book Review
- 332 Correspondence
- 336 News and Notices

NUMBER 5:SEPTEMBER 1989

Original Articles

- 337 F.M.CARABOTT and J.L.M.HAWK A modified dosage schedule for increased efficiency in PUVA treatment of psoriasis
- 341 E.FERNÁNDEZ COGOLLUDO, P.AMBROJO ANTUNEZ, A.AGUILAR MARTÍNEZ, M.L.PEÑA PAYERO and E.SÁNCHEZ YUS Neutrophilic eccrine hidradenitis—a report of two additional cases
- 347 H.F.JORDAAN Blastomycosis in Namibia—report of a case successfully treated with itraconazole

- 352 M.PIBOUIN, L.P.JACOMY, B.GOURAUD-DURAND, G.LANCIEN and J.CHEVRANT-BRETON Eczematous dermatitis in relation to carbon ligamentoplasty
- 355 H.C.WILLIAMS and B.MONK Creeping eruption stopped in its tracks by albendazole
- 357 J.MESQUITA-GUIMARAES, S.RAMON, M.R.TAVARES and M.R.CARVALHO A double-blind clinical trial with a lotion containing 5% benzoyl peroxide and 2% miconazole in patients with acne vulgaris
- 361 H.ASSCHEMAN, L.J.G.GOOREN and J.D.R.PEEREBOOM-WYNIA Reduction in undesired sexual hair growth with Anandron in male-to-female transsexuals—experiences with a novel androgen receptor blocker

Case Reports

- 364 H.M.GOODYEAR and J.I.HARPER Leiner's disease associated with
- 367 D.SHUTTLEWORTH A localized, recurrent pustular eruption following amoxycillin administration
- 369 D.S.H.NICHOLLS and J.I.HARPER Cutis marmorata telangiectatica congenita with soft-tissue herniations on the lower legs
- 371 M.H.A.RUSTIN, C.B.BUNKER, J.J.H.GILKES, T.W.E.ROBINSON and P.M.DOWD Polyostotic fibrous dysplasia associated with extensive linear epidermal naevi
- 376 D.BLANC, M.SCHREIBER, E.RACADOT, J.Y.KAHN, M.FLESCH, G.VIENNET, M.LAB and M.ZULTAK Pyoderma gangrenosum in an allogenic bone marrow transplant recipient
- 380 N.R.TELFER, J.H.BARTH and R.P.R.DAWBER Recurrent blistering distal dactylitis of the great toe associated with an ingrowing toenail
- 382 M.H.A.RUSTIN, C.B.BUNKER and G.M.LEVENE Follicular mucinosis presenting as acute dermatitis and response to dapsone
- 385 S.C.PARKER, D.A.FENTON and M.M.BLACK Sclerederma
- 387 S.R.STAPLETON, R.K.CURLEY and W.A.SIMPSON Cutaneous gangrene secondary to focal thrombosis—an important cutaneous manifestation of ulcerative colitis
- 390 Abstracts from the 15th Annual Meeting of the Society for Cutaneous Ultrastructural Research held in Nice, 20-21 May 1988
- 405 Book Reviews
- 405 Correspondence
- 405 News and Notices

NUMBER 6:NOVEMBER 1989

Dowling Oration 1989

407 R.J.HAY A thorn in the flesh—a study of the pathogenesis of subcutaneous infections

Original Articles

- 416 F.LAWLOR, A.KOBZA BLACK, A.S.BREATHNACH, P.MCKEE, P.SARATHCHANDRA, B.BHOGAL, J.L.ISAACS, M.W.GREAVES and R.K.WINKELMANN A timed study of the histology, direct immunofluorescence and ultrastructural findings in idiopathic cold-contact urticaria over a 24-h period
- 421 A.N.ABDULLAH and K.KECZKES Cutaneous and ocular sideeffects of PUVA photochemotherapy—a 10-year follow-up study
- 425 A.RURANGIRWA, C.PIÉRARD-FRANCHIMONT and G.E.PIÉRARD

- Culture of fungi on cyanoacrylate skin surface strippings—a quantitative bioassay for evaluating antifungal drugs
- 429 F.B.DE WAARD-VAN DER SPEK, A.P.ORANJE, D.M.J.DE RAEY-MAECKER and J.D.R. PEEREBOOM-WYNIA Juvenile versus maturity-onset alopecia areata—a comparative retrospective clinical study
- 434 M.M.G. FRINGS, P.P.KIND, G.GOERZ and J.ABEL The effect of topically applied corticosteroids and zinc on the metallothionein content of skin in an experimental model
- 437 A.J.G.MCDONAGH and C.I.HARRINGTON Pseudoporphyria complicating etretinate therapy
- 439 J.J.GARIOCH, A.RASHID, J.THOMSON and M.SEYWRIGHT The relevance of elevated *Borrelia burgdorferi* titres in localized scleroderma

Case Reports

- 442 C.J.M.STEPHENS, R.J.HAY and M.M.BLACK Fungal kerion total scalp involvement due to Microsporum canis infection
- 445 C.J.M. STEPHENS and D.H.McGIBBON Algodystrophy (reflex sympathetic dystrophy) complicating unilateral acrodermatitis continua
- 448 F.ALLEGUE, A.ESPAÑA, J.M.FERNANDEZ-GARCIA and A.LEDO Segmental neurofibromatosis with contralateral lentiginosis

- 451 R.HENRIKSSON, P.-A.HOFER and R.HÖRNQVIST Erythema elevatum diutinum—a case successfully treated with colchicine
- 454 S.I. MUZULU, S.WALTON and K.KECZKES Chronic granulomatous disease—a case showing long-term survival
- 457 S.K.JONES, N.J.REYNOLDS, J.CROSSLEY and C.T.C.KENNEDY Cutaneous reaction to diltiazem resulting in an exacerbation of angina
- 459 A.N.ABDULLAH and K.KECZKES Behçet's syndrome with gastrointestinal tract involvement mimicking carcinoma of the caecum—a case report
- 462 J.BERTH-JONES, P.G.NORRIS, R.A.C.GRAHAM-BROWN and D.A.BURNS Juvenile spring eruption of the ears
- 464 D.S.H.NICHOLLS and G.MIDGLEY Onychomycosis caused by Trichophyton equinum
- 466 M.H.A.RUSTIN and T.W.F.ROBINSON Giant-cell tumour of the tendon sheath—an uncommon tumour presenting to dermatologists
- 469 Book Reviews
- 470 Correspondence
- 460 News and Notices
- 471 Index

